

www.wadestownvet.co.nz Newsletter Winter 2010

## <u>ARTHRITIS</u>

NEW from 📠 , feline j/d prescription diet:



This is a diet that already exists for our canine companions

suffering from arthritis. Now we can offer the same for our beloved feline friends.

Prescription Diet j/d pet food can help to improve mobility in just 21 days. Ask the Vet if this could be the right diet for your ageing puss.

You will receive 2 free cans of j/d wet with your first purchase of Feline j/d dry (While stocks last).



 The Microchip activated Cat Flap!

 ✓ Learns your cats existing microchip allowing only your cat/s to enter and exit.

 ✓ No collar required or magnets to loose

 ✓ Battery powered

✓ Compatible with all microchips.

# Kidney failure in cats - nutritional support.

Kaminox liquid is a highly palatable liquid nutritional support for cats with chronic renal failure and other disorders resulting from low levels of Potassium. It contains additional B-vitamins and essential amino acids for nutritional support.





## Is your pet getting a little do-la-lee?

**Aktivait:** to help reduce age-related loss in mental function and activity levels.

Signs of brain ageing:

- 1. Disorientation
- 2. Loss of house training.
- 3. Irregular sleep patterns
- 4. Reduce interaction



#### The importance of worming!

There are different types of internal worms and their effects vary. Regularly worming from a young age, ideally with a broad-spectrum preparation, is important for all pets.

Signs of internal parasites:

- A dull harsh coat.
- Emaciation
- Diarrhoea and/or vomiting (sometimes, you actually see the worms).
- Poor appetite.
- Depression.
- Anaemia (pale mucous membranes around the eyes and gums.

Broad-spectrum worm medications are only available from your Vet and can come in different types of application:

Profender is a topical all wormer treatment now available for cats.

### **BONES:**

Bones are a fantastic way to keeps your dog's teeth and gums in good health and to keep plaque at bay.

However it is important to use whole bones (with the knuckle on each end). By using cut bones there is a high risk of dogs wearing down and even breaking their teeth.

